



ENVIRONMENTAL HEALTH SERVICES

385 North Arrowhead Avenue, San Bernardino, CA 92415 (909) 387-0214

1647 E Holt Blvd, Ontario, CA 91761 (909) 458-9673

13911 Park Ave, Victorville, CA 92392 (760) 243-3773

TECHNICAL BULLETIN NO. 04 VV

DANIEL J. AVERA, R.E.H.S., Division Chief

Page 1 of 2

REQUIRED SIGNS AT SPAS

1. "WARNING - NO LIFEGUARD ON DUTY"

- Required at all spas where lifeguard service is not provided.
- Letters must be at least 4" high.
- Sign must be located in plain view of persons entering the spa area.
- Sign shall also state "Children Under The Age of 14 Should Not Use Pool Without An Adult In Attendance."

2. ARTIFICIAL RESPIRATION PROCEDURES

- Sign must have illustrated diagrams with instructions.
- Sign must be posted within the spa enclosure and be clearly visible.

3. EMERGENCY TELEPHONE NUMBERS

- Shall have "911" number as a minimum.
- Shall include instructions to commence and continue artificial respiration, if necessary.
- Shall be clearly posted within spa enclosure and adjacent to a nearby telephone if one exists.

4. WARNING SIGN FOR SPA USE

- Must have clearly legible letters.
- Shall be posted in a prominent place near the entrance to spa pool.
- Shall contain the following language.

"CAUTION"

1. Elderly persons, pregnant women, infants, and those with health conditions requiring medical care should consult with a physician before entering a spa.
2. Unsupervised use by children under the age of 14 is prohibited.
3. Hot water immersion while under the influence of alcohol, narcotics, drugs, or medicines may lead to serious consequences and is not recommended.
4. Do not use alone.
5. Long exposure may result in nausea, dizziness or fainting."

(cont'd)

5. **OCCUPANCY LOAD SIGN**

- Must have clearly legible letter/numerals not less than 4" high.
- Must be posted in a conspicuous place near entrance(s).
- Shall indicate the maximum number of occupants permitted for each spa. Occupant capacity limit is based on a minimum of 10 square feet of spa surface area per person.

6. **EMERGENCY SHUT-OFF SIGN**

- Shall be conspicuously posted at the emergency shut-off switch for spa re-circulation and pumps (timers also). booster/jet
- Emergency shut-off switch shall be located at least 5 feet, but not more than 20 feet away from the spa and within the enclosure.

7. **"NO USE OF POOL ALLOWED AFTER DARK"**

- Required where pool lighting fixtures which comply with Section 3114B are not provided.
- Letters must be at least 4" high.
- Sign shall be posted in a prominent place near entrance to the pool area.

8. **"DANGER: GASEOUS OXIDIZER CHLORINE"**

- Required at pools at which gas chlorine is used for disinfection.
- Sign shall be conspicuously posted on the exterior side of the entry door to the chlorine room, or on the adjacent wall area.
- Sign shall display the appropriate hazard identification symbol for gas chlorine.
- Letters shall be at least 4" high.

NOTE: ALL REQUIRED SIGNS SHALL BE PROTECTED AGAINST THE ELEMENTS AND MAINTAINED IN A LEGIBLE MANNER.